



# COMMONWEALTH of VIRGINIA

DEPARTMENT OF TRANSPORTATION

1401 EAST BROAD STREET  
RICHMOND, VIRGINIA 23219-2000

**COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF TRANSPORTATION  
NOTICE OF AWARD  
FMS11# 21417, RFP#757-DS**

June 28, 2005

Name of Contractor: Colonial Ford Truck Sales.  
Address: 1833 Commerce Road  
Richmond, VA 23224  
Attn: Mr. Raymond Bunch

Your Bid Offer date: 06-20-2005  
Your bid Response to: Contract# 21417

To Furnish: Trucks Cab & Chassis, 15,000 GVW  
Period of Contract- June 28, 2005 thru June 28, 2006

Hereby is accepted at prices and terms stated, subject to all conditions and requirements Of the solicitation, purchase specifications, warranties performance bond and other stipulations, if any. The solicitation, your bid offer and this notice of acceptance constitute the contract.

Sincerely,

A handwritten signature in cursive script, appearing to read "David M. Smith".

David M. Smith  
Contract Officer, VCO, CPPB

**COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF TRANSPORTATION  
ADMINISTRATIVE SERVICES DIVISION  
1401 EAST BROAD STREET  
RICHMOND, VIRGINIA 23219**

**NOTICE OF CONTRACT AWARD**

1. DATE..... June 28, 2005
2. COMMODITY NAME..... Trucks, Cab& C -15,000GVW
3. CONTRACT NUMBER..... RFP # 757-DS #21417
4. CONTRACT PERIOD..... 06-16-2005 thru 006-16,2006
5. AUTHORIZED USERS.....State Agencies and other Public Bodies
6. CONTRACTORS FIN NUMBER..... 54-079-9796
7. CONTRACTOR..... Colonial Ford Truck Sales  
1833 Commerce Road  
Richmond, VA 23224
8. CONTRACTOR CONTACT PERSON.....Mr.Raymond Bunch
9. CONTRACTOR'S PHONE NUMBER.....804-232-3492  
FAX NUMBER..... 804-230-1932
10. DELIVERY.....approx - 90 days
11. PRICES AND OPTIONS.....See Attached
12. FOB.....Richmond, Virginia
13. FOR FURTHER CONTRACT INFORMATION CONTACT.....David M. Smith  
804-786-5179
14. FOR ADDITIONAL COPIES OF THIS AND OTHER CONTRACTS AND ANY ASSOCIATE  
CONTRACT CHANGES, CALL VBO MESSAGE CENTER (804)371-6725.

COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF TRANSPORTATION  
RICHMOND VA 23219

PRICE AND OPTION DATA  
RFP#757-DS #FMSII-21417

Contract # 21417- 757-DS

Make and Model- yr 2006 Ford F-450	Base Unit Cost
Cab & Chassis .....	\$ 25,234.85

Delivery: Approx.-90 days

Warranty: Please request data once delivery has been made.

Crew Cab	\$ 3,291.23
Four Wheel Drive	\$ 3,706.30
Automatic Transmission	\$ 1,364.38
Utility Body	\$ 6,436.91
Utility Body/Crane	\$23,054.86
Warranty full 2years 24,000 Miles	\$ 1,509.60
Warranty 5 years Engine&Automatic Trans	\$ 1,492.26

A 2%VAPP Surcharge has been added to the unit cost of this contract.  
Additional options are available at a 10% discount.

VDOT Vehicles Contracts

  
David M. Smith  
Contract Officer

Contract Description: Trucks, 15,000GVW SuperDuty

Contract ID	: 000000000000321417	Contract Begin Date	: 03/16/2004
Effective Date	: 10/01/2005	Contract End Date	: 06/16/2006
Max Amount Per Contract	: \$0.00	Buyer	: David Smith
		Buyer Phone Nbr	: 804/786-5179

Vendor Name	: COLONIAL FORD TRUCK SALES	Vendor ID	: 0000002088
Address1	: 1833 COMMERCE RD	Phone	: 8042324502
Address2	: P O BOX 24288	Fax	: 8042306284
Address3	:	Vendor Contact	: Raymond Bunch
Address4	:	Vendor Contact Phone	: 8042324502
City	: RICHMOND		
State	: VA Zip Code : 23224		

Comments :

This contract is the result of VAPP RFP #757-DS. All terms and conditions will apply. Period of Contract: Date of Award 3-16-2004

to 3-16-2006, this is a two year contract with 3 one year extensions if agreeable to both parties. All increase in the unit cost must be in accordance with the PPI. This contract includes the 2% VAPP surcharge code. use this code for surcharge amount.

Other options are available on the contract with a 10% discount off the manufactures price list.

added decal to contract on 10-29-05 per equipment section, AMD

Line Nbr	Item Code	Make, Model	Item/ Category Description	UCM	Unit Price	Max Qty	Min Qty
1	0705101000	Truck F-450 Super Duty F-450	TRUCKS (OVER ONE TON CAPACITY) TRUCKS (OVER ONE TON CAPACITY)	EA	24,740.0000	0.00	0.00
2	0559903005	Truck F-450	CAB, CREW VEHICLE OPTIONS "C"	EA	3,226.7000	0.00	0.00
3	0559906640	Four wheel drive	FOUR WHEEL DRIVE VEHICLE OPTIONS "F"	EA	3,633.6300	0.00	0.00
4	0559920720	Automatic transmission Torshift	TRANSMISSION, AUTOMATIC VEHICLE OPTIONS "T"	EA	1,337.6300	0.00	0.00
5	0559902740	Utility Body Reading	BODY, UTILITY VEHICLE OPTIONS "B"	EA	631,070.0000	0.00	0.00
6	0559902748	Utility body /crane Autocrane	BODY, UTILITY, W/5000 LB. CAPACITY CRANE VEHICLE OPTIONS "B"	EA	22,602.8000	0.00	0.00
7	0559923050	Warranty 2 years/24000 miles	WARRANTY, POWER TRAIN VEHICLE OPTIONS "W"	EA	1,480.0000	0.00	0.00
8	0705360210	Warranty 5 years	Engine&Automatic or manual OPTION 4 - EXTENDED WARRANTY TRUCK OPTIONS	EA	1,463.0000	0.00	0.00
9	9203724880	VAPP Surcharge 2%	VAPP 2% SURCHARGE FEES, NETWORKING SERVICES	EA	1.0000	0.00	0.00
10	2554040000	furnish & install decals	DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION	EA	1,250.0000	0.00	0.00
11	2554040000	furnish & install decal -crane	DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION	EA	1,250.0000	0.00	0.00
12	2554040000	deliver to Bristol	DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION	EA	388.0000	0.00	0.00
13	2554040000	del to culpeper	DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION	EA	110.0000	0.00	0.00
14	2554040000	del to fredericksburg	DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION	EA	80.0000	0.00	0.00
15	2554040000	del to hampton roads	DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION	EA	95.0000	0.00	0.00
16	2554040000	del to lynchburg	DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION	EA	139.0000	0.00	0.00
17	2554040000	del to northern va	DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION	EA	125.0000	0.00	0.00
18	2554040000	del to richmond	DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION	EA	29.0000	0.00	0.00

Line Nbr	Item Code	Make, Model	Item/ Category Description	UOM	Unit Price	Max Qty	Min Qty
-----							
			DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION				
19	2554040000	del to salem		EA	230.0000	0.00	0.00
			DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION				
			DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION				
-----							
20	2554040000	del to staunton		EA	137.0000	0.00	0.00
			DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION				
			DECALS, FIRST AID, TRIANGULAR SHAPED, EMERGENCY INFORMATION				
-----							

End of Report

**Miscellaneous:** To be furnished with Class A directional signal lights front and rear, back-up lights, ICC traffic hazard switch, dual electric intermittent windshield wipers, windshield washers, heater and defroster (fresh air type), factory installed air conditioning, AM/FM radio, dome light in cab, shoulder/lap belts, sun visors, tinted glass, and dual outside mirrors with minimum dimensions of 7" x 10". NOTE: Mirror arms are to be extended type to clear body as necessary. Snowplow preparation package to be provided.

**Body:** Eight foot dump body is to have a capacity of 2 cubic yards with dimensions of approximately 84" wide, 14" high on the sides, 35" high at the front, and 20" at the tailgate, safety handle on tailgate of ½" cold roll steel with 6" loop. Unit to be constructed from high strength steel with floor to be at least 12 gauge, and sides and cab shield at least 14 gauge. Dump and hoist to weigh approximately 1,675 lbs. Cab shield to have window for rear vision. The body is to have lights for stop, tail, turn signal and backup, and reflectors in accordance with Federal and State Motor Vehicle Code. To be equipped with backup alarm K-D Model 621 or equal and comply with SAE J994B. Body color to be black.

The hoist is to be a 12-volt electric/hydraulic unit and operate from the truck battery through a cab-mounted toggle switch at the left of the driver's seat.

Unit to have hinged fold-down sides on both sides. Body prop to be furnished. Zerk grease fittings on hinge pin and trip lever linkage.

Fuel filler neck(s) to be securely mounted.

**Reference:** Crysteel's Two-Yard Tipper Body.

**Trailer Towing Package:** To include a class 3 receiver, 5,000 lbs. minimum capacity Reece 35510 or equal, and a trailer light wiring harness connected to a rear bumper mounted 1235 Cole Hersee 6 pole connector.

### 3. Class 844 – 15,000 GVW Super Duty Truck

**Cab and Chassis:** The truck chassis and cab shall be as follows: GVW shall be not less than 15,000 lbs., wheelbase of approximately 150", and CA or cab to axle approximately 84".

**Front Axle:** To be at least 5,000 lbs., with suspension at least 5,000 lbs., capacity at ground. Shocks and power steering are to be furnished.

**Rear Axle:** Rear axle not less than 11,000 lbs., single speed. Road speed to be at least 65 MPH at rated engine RPM. Rear springs total each side to be not less than 5,500 lbs., capacity at ground.

**Transmission:** To be 4 speed manual.

**Brakes:** To be power hydraulic or equal.

**Engine:** To be turbo diesel engine not less than 6.5L. Engine supplied to be equipped with oil filter and dry type air cleaner. Racor spin-on fuel filter/water separator to be furnished. Engine coolant is to be ethylene glycol type antifreeze meeting the requirements of TMC RP-329 (fully formulated, low silicate, nitrite containing) mixed 50-50 with water. Antifreeze is to be on the current Penray® Fill-For-Life program approved list.

**Cab:** Cab to be furnished with tinted glass, dual sun visors, dual West Coast type side view mirrors, 6" x 15", heavy duty dual electric two-speed windshield wipers, dual horns, heavy duty heater and defroster (fresh air type), and windshield washers to be furnished. To also be furnished with lap/shoulder belts and ICC traffic hazard switch. To be furnished with factory installed air conditioning and AM/FM radio.

**Tires:** To be tubeless steel-belted radial. Tires to be correct for load capacity of above GVWR. Rear tires to be mud and snow type with extra traction. Tread design must be approved by the Equipment Division. Rims to be one-piece design. Tires to be designed to be recapped.

**Electrical System:** To be 12 volt with minimum 100 amp alternator; two (2) batteries with at least 600 CCA @ 0° F.

**Miscellaneous:** Class A directional signal lights on front and Class A recessed type installed on rear of body, and cab clearance lamps to be furnished. To be equipped with back-up alarm, K-D Model 621 or equal.

**Option 1:** Please quote a price for crew cab.

**Option 2:** Please quote a price for four-wheel-drive.

**Option 3:** Please quote a price for Automatic Transmission.

**Utility Body:** Service utility body to be approximately 132" long, 91" wide, and not less than 52" wide inside. Body height to be at least 40" from outside top to bottom of body. Body to be all steel or aluminum construction of at least 16 gauge steel with doors (doors to have open stops) of 20 gauge steel and floor of 12 gauge diamond plate. Rear bumper to have full width non-skid step plate for easy entrance into body. To include standard utility type tailgate.

Body to have eight (8) compartments. Two (2) front side compartments approximately 40" x 26" to have three (3) shelves each. Middle horizontal compartments approximately 18" x 50" to have two (2) spacer trays each. Rear compartments to be approximately 40" x 24". To have A-60 galvanized steel, both sides, on all cabinet compartments. To have bolt-on hinges. Body to have a primed understructure. A grab handle will be provided on rear of body on curb side. Heavy duty pintle hook (PH-75 Holland or equal), reinforced bracing, and safety chain U-bolts to be installed. Flush type rear lights or lights shielded on rear of body to be furnished. Trailer light wiring harness connected to a 1235 Cole Hersee 6-pole connector mounted in step bumper to be furnished.

**Paint:** Utility body color to match chassis and cab paint code.

**Option for Utility Body:** Please quote a price for a utility body and crane complete and ready for service.

Manually adjustable outriggers to be mounted underneath the bumper. Outriggers to be heavy duty suitable for use with 5,000 lb., crane at rated load. Outrigger leg to be approximately 3-1/2" O.D.x 3" I.D. pipe or equivalent. A 5,000 lb., capacity electric over hydraulic crane to be mounted on the right rear corner of the body. Right rear suspension of truck is to be built up to